


FEEGOO®

Experience Hygiene



www.feegoindia.com



ABOUT US

Why choose us?

For 18 years, FEEGOO has provided customers with hygienic products for sanitary warehouses. From the first generation jet hand dryer in 2006 to now, our jet hand dryers are made with HEPA and UV, use anti-bacterial material to guarantee clean and hygienic. We also offer sanitary solutions for soap and paper dispensers, saving warehouse space with our behind-mirror series products. Furthermore, we provide baby-safe solutions for baby changing stations. All of our units are easy to install, durable, and sanitary, and they meet the highest safety standards, such as CE, ROHS, CB, and KC from SGS and TUV laboratories.

ABOUT MOTOR

Brush Contacts Motor

Brushed motors are the most common motors which simplicity and established production techniques means they are the cheapest form of motor. The stationary part is the stator and the rotational part is the armature. The current through the armature coils has to be switched, such that the magnetic field from the stator interacts with that from the armature in giving a force so that the armature rotates continuously.

Hand dryers with brushed motors have:

- Shorter life & Greater noise
- Lower efficiency and therefore use more power
- The brushes and commutator creates significant pollution and dust particles:
[A] Carbon and copper dust;
[B] Ozone from the electric arcing which increases with brush wear

Working life: 1200 Hours (1-2years)



Brushless Motor

The brushless motor does not have a commutator or windings on the rotor, which is a multipole permanent magnet, therefore does not have the problems detailed above with the brush motor. Only the stator has windings which are switched by suitable electronics in a sequence that depends upon the direction of rotation. The magnets and electronics mean that these motors may be more expensive but benefit from a 5x fold operating life.

Hand dryers with brushless motors offer:

- Longer life (more than 5x)
- Greater efficiency, less energy
- Greater cost savings on operation and cost of product life
- Significantly Quieter
- Environmentally efficient with lower carbon footprint

Working life: 5-7years



About HEPA

HEPA (High Efficiency Particulate Air) filters stands for high quality filters that are capable of trapping 99.97% 0.3 microns or larger airborne particles in the air. And the micron is a short of "micrometer" or shown as a symbol of " μm ". HEPA air filters are composed of thousands of extremely fine fibers to intercept microscopic particles and larger ones. They can remove particulates in the air in a very effective way.



UV LIGHT

hand dryer Install UV lights can effectively suppress bacterial growth and provide more hygienic use.



Catalog

Double-sided Jet Hand Dryer (1-10)

EC09966
FG9933H
FG9988H
FG2006H
FG2007H/FG2008

High Speed Hand Dryer (11-18)

FG3605
FG3606
FG3600
FG2800
FG2630T
FG2630
FG8085/FG8086
FG8053/FG8088

Hand Sanitizer (19-20)

FG1598T
FG1598/FG6000

Automatic Soap Dispenser (21-27)

FG2020
FG2018T **NEW**
FG2000
FG2001
FG2003/FG2002
FG2026 **NEW**/FG2019
FG5288L/FGWC2682

Manual Soap Dispenser (28-30)

FG2009/FG2010
FG2011/FG2012
FG2013/FG2015

Baby Changing Station (31-36)

FG1688
FG1690
FG1691
FG1689/FG1699
FG1677/FG83

Behind Mirror Series (37-44)

FG1001SP
FG1001S
FG1001P
FG5888S
FG5888
FG5788
FG5688
FG5788K

Paper Dispenser (45-56)

FG5020
FG5021/FG5026
FG6618/FG6628
FG6619/FG6629
FG6668/FG-6020
FG5688/FG-6121
FG-PACA050-H-W/FG-F12AZ
FG-G09BZ/FG-WC407W
FG-PACA10N-H-W/FG-JYBZJH
FG8900/FG8901
FG8908/FG8906
FG8903/FG8905
FG7121/FG7123

ECO9966 Double-sided Jet Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1650-1850W(Brushless Motor) 2000W(Brush Motor)
Material	Anti-bacterial ABS Plastic
Waterproof Grade	IPX4
Filter	HEPA filter
Air Speed	75 m/s (Low) 100m/s(High)
Air Volume	173m ³ /h(Low) 230m ³ /h(High)
Motor Rate(RPM)	11000-23000
Dry Time	7-10s
Noise Resolution	65/69dB
Product Size	70 (W)x30 (D)x22 (H)cm
Brushless	G.W.:11kg, N.W:9.5kg
Brush	G.W.:9.5kg, N.W:7.5kg

Antimicrobial function:

Built-in UV LIGHT	✓
Built-in HEPA FILTER	✓
Antimicrobial shell ABS plastic	✓
Energy saving	✓
Environment protection	✓



FG9933 Double-sided Jet Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1650-1850W(Brushless Motor) 2000W(Brush Motor)
Material	IPX4
Waterproof Grade	Anti-bacterial ABS Plastic
Filter	HEPA filter
Air Speed	75-100m/s(Adjustable)
Air Volume	173m ³ /h(Low) 230m ³ /h(High)
Motor Rate(RPM)	11000-23000
Dry Time	7-10s
Operating Noise	65-69dB(Vary with motor speed)
Product Size	73 (W)x37 (D)x29 (H)cm
Brushless	G.W.:11kg, N.W:9kg
Brush	G.W.:9kg, N.W:7kg




Antimicrobial function:

Built-in UV LIGHT	☑
Built-in HEPA FILTER	☑
Antimicrobial shell ABS plastic	☑
Energy saving	☑
Environment protection	☑



FG9988H Circular High Speed Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1650-1850W(Brushless Motor) 2000W(Brush Motor)
Material	Anti-bacterial ABS Plastic
Waterproof Grade	IPX4
Filter	HEPA filter
Air Speed	75-110m/s(Adjustable)
Air Volume	89-124m ³ /h
Motor Rate(RPM)	11000-23000
Dry Time	5-10s
Operating Noise	65-78dB(Vary with motor speed)
Product Size	61.8 (W)x31.8 (D)x18.5 (H)cm
Brushless	G.W.:10.8kg, N.W:9.5kg
Brush	G.W.:9.3kg, N.W:8.0kg



Antimicrobial function:

Built-in UV LIGHT	✓
Built-in HEPA FILTER	✓
Antimicrobial shell ABS plastic	✓
Energy saving	✓
Environment protection	✓



FG2006H Double-sided Jet Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	2000W(Brush Motor) 1650-1850W(Brushless Motor)
Material	Anti-bacterial ABS Plastic
Waterproof Grade	IPX4
Filter	HEPA filter
Air Speed	98m/s
Air Volume	173m ³ /h(Low) 230m ³ /h(High)
Motor Rate(RPM)	1000W
Dry Time	5-10s
Operating Noise	72dB
Product Size	68.7 (W)x30 (D)x22 (H)cm
Brushless	G.W.:11.5kg, N.W:10kg
Brush	G.W.:9.5kg, N.W:7.5kg



Antimicrobial function:

Built-in UV LIGHT	✓
Built-in HEPA FILTER	✓
Antimicrobial shell ABS plastic	✓
Energy saving	✓
Environment protection	✓

FG2007H/FG2008 Double-sided Jet Hand Dryer



Voltage AC110-130/AC220-240V
Frequency 50/60Hz
Rated Power 2300W(Brushless Motor)
Material Stainless Steel 304
Waterproof Grade IPX35

Filter HEPA filter
Air Speed 83m/s
Air Volume 230m³/h(8122ft³/h)
Motor Rate(RPM) 20000
Dry Time 3-8s
Operating Noise 65dB




Product Size 62.5(W)x29(D)x198(H)cm
Brushless N.W.:12.5kg, G.W.:13.5kg



FG3605 High Speed Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1000W
Material	Antibacterial ABS Plastic
Waterproof Grade	IPX1
Air Speed	90m/s
Net Weight	G.W.:4.5kg, N.W:3.8kg
Air Volume	158m ³ /h
Dry Time	7-10s
Operating Noise	70dB
Product Size	25.1 (W)x17.2 (W)x14.4 (H)cm

-  Save Energy
-  Long Life
-  More Security

FEEGOO



Touch Screen Hand Dryer FG3606



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1000W
Material	Antibacterial ABS Plastic
Waterproof Grade	IPX1
Air Speed	90m/s
Net Weight	G.W.:5.5kg, N.W:4.5kg
Air Volume	158m ³ /h
Dry Time	7-10s
Operating Noise	70dB
Product Size	43 (W)x37.1 (D)x15.2 (H)cm

-  CTP
-  High air Speed
-  Filter
-  Security

11/12



FG3600 Stainless Steel High Speed Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1400W
Material	Stainless Steel 304
Waterproof Grade	IPX1
Air Speed	90m/s
Weight	G.W.:4.5kg, N.W:3.9kg
Air Volume	103m ³ /h
Dry Time	7-10s
Operating Noise	70dB
Product Size	29.25 (W)x26.9 (D)x15.65 (H)cm
Anti-shock Grade	Class



Low Power



Long Life



Security



FEEGOO

Stainless Steel High Speed Hand Dryer FG2800



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1400W
Material	Stainless Steel 304
Waterproof Grade	IPX1
Air Speed	90m/s
Weight	G.W.:4.5kg, N.W:3.9kg
Air Volume	103m ³ /h
Dry Time	7-10s
Operating Noise	70dB
Product Size	32 (W)x29.3 (D)x16.3 (H)cm
Anti-shock Grade	Class



Low Power



Long Life



Filter



Security



13/14

FG2630T Single Jet Hand Dryer



-  High air Speed
-  Filter
-  Water tray



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1300W
Material	Antibacterial ABS Plastic
Waterproof Grade	IPX1
Air Speed	100m/s
Weight	G.W.:4.5kg, N.W:4kg
Air Volume	103m ³ /h
Dry Time	7-10s
Operating Noise	72dB
Product Size	46.8 (W)x25 (D)x16.6 (H)cm

FEEGOO



Single Jet Hand Dryer FG2630



-  High air Speed
-  Filter



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1300W
Material	Antibacterial ABS Plastic
Waterproof Grade	IPX1
Air Speed	100m/s
Weight	G.W.:4kg, N.W:3.6kg
Air Volume	103m ³ /h
Dry Time	7-10s
Operating Noise	72dB
Product Size	25 (W)x24 (D)x16.6 (H)cm



15/16

FG8085 Stainless Steel Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	2300W
Material	Stainless Steel 304
Air Speed	30m/s
Waterproof Grade	IPX1
Product Size	27.5 (W)x23 (D)x20 (H)cm

FG8053 Stainless Steel Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	2750W
Material	Stainless Steel 304
Air Speed	30m/s
Waterproof Grade	IPX1
Product Size	30 (W)x25.5 (D)x17.1 (H)cm

FG8086 Stainless Steel Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	2300W
Material	Stainless Steel 304
Air Speed	30m/s
Waterproof Grade	IPX1
Product Size	27.5 (W)x23 (D)x20 (H)cm

FG8088 Stainless Steel Hand Dryer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	1200W
Material	Stainless Steel 304
Air Speed	30m/s
Waterproof Grade	IPX1
Product Size	315 (W)x22 (D)x205 (H)cm

FG1598T Stainless Steel Automatic Hand Sterilizer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	Less than 25W
Material	Stainless Steel 304
Waterproof Grade	IPX1
Flow rate	0.6-0.8ml/s
Weight	G.W.:4kg, N.W:3.9kg
Product Size	38 (W)x22 (D)x18.5 (H)cm
Capacity	2000ml

Clean door function : can be customized for 1 second or 5 seconds

FG1598 Stainless Steel Automatic Hand Sterilizer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	Less than 25W
Material	Stainless Steel 304
Waterproof Grade	IPX1
Flow rate	0.6-0.8ml/s
Weight	G.W.:2.3kg, N.W:1.9kg
Product Size	22 (W)x20 (D)x18.5 (H)cm
Capacity	2000ml


FG6000 Automatic Hand Sterilizer



Voltage	AC110-130/AC220-240V
Frequency	50/60Hz
Rated Power	Less than 25W
Material	ABS Plastic
Waterproof Grade	IPX1
Flow rate	0.6-0.8ml/s
Weight	G.W.:3.7kg, N.W:2.2kg
Product Size	37.5 (W)x23 (D)x15 (H)cm
Capacity	1500ml

FG2020 Automatic Soap Dispenser



-  Foam
-  Liquid
-  Atomizing

Voltage	DC 6V
Material	304 Stainless Steel
Weight	G.W.:1.35kg, N.W:1.2kg
Product Size	10.2 (W)x9.8 (D)x27.2 (H)cm
Capacity	1000ml
Liquid Output	0.5ml-2.5ml (5 step adjustment)



NEW FG2018T Automatic Soap Dispenser



-  Foam
-  Liquid
-  Atomizing

Voltage	DC 6V
Material	304 Stainless Steel
Weight	G.W.:1.5kg, N.W:1.2kg
Product Size	28 (W)x12.2 (D)x10.05 (H)cm
Capacity	1000ml
Liquid Output	0.8ml



FG2000

Automatic Soap Dispenser



Voltage	DC 4.5V
Material	304 Stainless Steel
Weight	G.W.:1.3kg, N.W:1kg
Product Size	27 (W)x12.5 (D)x10.7 (H)cm
Capacity	800ml
Liquid Output	1-1.5ml



FG2001

Automatic Soap Dispenser



Voltage	DC 4.5V
Material	304 Stainless Steel
Weight	G.W.:1.5kg, N.W:1.2kg
Product Size	27.5 (W)x11 (D)x10.6 (H)cm
Capacity	800ml
Liquid Output	1-1.5ml



FG2003 Automatic Soap Dispenser



Voltage	DC 4.5V
Material	304 Stainless Steel
Weight	G.W.:1.5kg, N.W:1.2kg
Product Size	27.5 (W)x11 (D)x10.6 (H)cm
Capacity	800ml
Liquid Output	1-1.5ml

FG2026 **NEW** Automatic Soap Dispenser



Voltage	DC 6V
Material	Antibacterial ABS Plastic
Weight	G.W.:1kg, N.W:0.7kg
Product Size	11.05 (W)x 8.5 (D)x 21.5 (H) cm
Capacity	450ml
Liquid Output	0.8ml

FG2002 Automatic Soap Dispenser



Voltage	DC 4.5V
Material	Antibacterial ABS Plastic
Weight	G.W.:1kg, N.W:0.7kg
Product Size	26.7 (W)x11.2 (D)x10.6 (H)cm
Capacity	800ml
Liquid Output	1-1.5ml

FG2019 Automatic Soap Dispenser



Voltage	DC 6V
Material	Antibacterial ABS Plastic
Weight	G.W.:1.1kg, N.W:0.8kg
Product Size	28 (W)x12.2 (D)x11.5 (H)cm
Capacity	1000ml
Liquid Output	0.8ml

FG5288L Automatic Soap Dispenser



Battery	DC 4x1.5V LR6
Material	ABS Plastic
Weight	12pcs G.W.:10.5kg N.W.:8kg
Drop	1ml
Product Size	14(W)*10.7(D)*23.5(H)cm
Inner Carton	14.8(W)*11.5(D)*24.8(H)cm
Outer Carton	50.5(W)*30.5(D)*37(H)cm
Capacity	1100ml

FG2009 Manual Soap Dispenser



Material	304 Stainless Steel
Capacity	500/800/1000ml
Product Size	15 (W)x9.5 (D)x6.2 (H)cm (500ml) 18.7 (W)x11.4 (D)x6.5 (H)cm (800ml) 209 (W)x123 (D)x65.7 (H)cm (1000ml)

FGWC2682 Automatic Soap Dispenser



Voltage	DC 3.7V
Material	Antibacterial ABS Plastic
Weight	G.W.:0.345kg, N.W.:0.28kg
Product Size	7 (W)x9.8 (D)x21.9 (H)cm
Capacity	300ml
Liquid Output	0.6-1.8ml

FG2010 Manual Soap Dispenser



Material	304 Stainless Steel
Capacity	500/800/1000ml
Product Size	15.1 (W)x10.1 (D)x5.7 (H)mm (500ml) 17.8 (W)x11.5 (D)x5.6 (H)mm (800ml) 19.8 (W)x12.5 (D)x5.9 (H)mm (1000ml)

FG2011 Manual Soap Dispenser



Material 304 Stainless Steel
Capacity 1000ml
Product Size 20.2 (W)x12.2 (D)x7.2 (H)cm

FG2013 Manual Soap Dispenser



Material 304 Stainless Steel
Capacity 1000ml
Product Size 20.2 (W)x12.2 (D)x7.2 (H)cm

FG2012 Manual Soap Dispenser




Material 304 Stainless Steel
Capacity 1000ml
Product Size 20.2 (W)x12.2 (D)x7.2 (H)cm

FG2015 Manual Soap Dispenser



Material 304 Stainless Steel
Capacity 1000ml
Product Size 21 (W)x12.2 (D)x7.3 (H)cm

FG1688 Baby Changing Station



Material	Antibacterial HDPE
Buffer Device	Automotive grade hydraulic rod
Max Load	60kgs-80kgs
Open Size	87 (W)x50 (D)x51.6 (H)cm
Close Size	87 (W)x50 (D)x11 (H)cm
Certificate	ASTM,CE ,REACH , Antimicrobial material report, RoHS

Features:

1. FEEGOO antimicrobial additive, based on ion silver technology, is embedded into its own surface, promoting an easy cleaning and reducing the growth of odor causing and staining microbes.
2. Horizontal surface-mounted baby changing station made of bacterial-resistant polypropylene.
3. Their trendy and stylish design, allow these baby changing stations to blend into any space perfectly.
4. FEEGOO baby changing stations are supplied (inside the packing box) with child protection straps made of nylon.
5. It can hold up to 40KG of weight



FG1690 Baby Changing Station



Housing Material: 304 stainless steel
Internal material: Antibacterial HDPE
Buffer Device: Automotive grade hydraulic rod
Max Load: 60kgs-80kgs
Open Size: 87.5 (W)x50.6 (D)x78.8 (H)cm
Close Size: 87.5 (W)x50.6 (D)x10 (H)cm

FG1691 Baby Changing Station



Housing Material: 304 stainless steel
Internal material: Antibacterial HDPE
Buffer Device: Automotive grade hydraulic rod
Max Load: 60kgs-80kgs
Open Size: 87.5 (W)x50.6 (D)x78.8 (H)cm
Close Size: 87.5 (W)x50.6 (D)x10 (H)cm

FG1689 Baby Changing Station



Material	Antibacterial HDPE
Buffer Device	Automotive grade hydraulic rod
Max Load	60kgs-80kgs
Open Size	87 (W)x50 (D)x51.6 (H)cm
Close Size	87 (W)x50 (D)x10 (H)cm

FG1677 Baby Changing Station



Material	Antibacterial HDPE
Buffer Device	Automotive grade hydraulic rod
Max Load	40kgs-50kgs
Open Size	81.6 (W)x50.3 (D)x45.98 (H)cm
Close Size	81.6 (W)x50 (D)x50.3 (H)cm

FG1699 Baby Changing Station




Material	Antibacterial HDPE
Buffer Device	Automotive grade hydraulic rod
Max Load	60kgs-80kgs
Open Size	82.5 (W)x79 (D)x50 (H)cm
Close Size	82.5 (W)x50 (D)x10 (H)cm

FGB3 Baby Changing Station



Material	PE, HDPE
Buffer Device	Automotive grade hydraulic rod
Max Load	20kgs
Open Size	32.5 (W)x31 (D)x49.5 (H)cm
Close Size	34 (W)x14.5 (D)x51 (H)cm

FG1001SP Behind Mirror Series



Product Capacity	1000ml
Surface Treatment	Brushed Metal
Mounting Type	Punching
Power Supply	AC Adapter/4pcs No.2 Battery
Main Material	304stainless steel
Outlet Mode	Automatic Induction
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	49 (W) × 11 (D) × 61 (H) cm
Minimum Product Size	49 (W) × 11 (D) × 31 (H) cm



FG1001S Behind Mirror Series



Product Capacity	1000ml
Surface Treatment	Brushed Metal
Mounting Type	Punching
Power Supply	AC Adapter/4pcs No.2 Battery
Main Material	304stainless steel
Outlet Mode	Automatic Induction
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	23.3 (W) × 11 (D) × 61 (H)cm
Minimum Product Size	23.3 (W) × 11 (D) × 31.7 (H)cm




FG1001P Behind Mirror Series



Surface Treatment	Brushed Metal
Mounting Type	Punching
Main Material	304stainless steel
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	23.3 (W) × 11 (D) × 61 (H)cm
Minimum Product Size	23.3 (W) × 11 (D) × 31.7 (H)cm


FG5888S Behind Mirror Series



Product Capacity	1000ml
Surface Treatment	Brushed Metal
Mounting Type	Punching
Power Supply	AC Adapter/4pcs No.2 Battery
Main Material	304stainless steel
Outlet Mode	Automatic Induction
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	38 (W) × 8.5 (D) × 60 (H)cm
Minimum Product Size	38 (W) × 8.5 (D) × 30 (H)cm



FG5888 Behind Mirror Series



Surface Treatment	Brushed Metal
Mounting Type	Punching
Main Material	304stainless steel
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	28.5 (W) × 85 (D) × 60 (H)cm
Minimum Product Size	28.5 (W) × 85 (D) × 30 (H)cm

FEEGOO

FG5788 Behind Mirror Series




Product Capacity	1000ml
Surface Treatment	Brushed Metal
Mounting Type	Punching
Power Supply	AC Adapter/4pcs No.2 Battery
Main Material	304stainless steel
Outlet Mode	Automatic Induction
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	20 (W) × 10 (D) × 60 (H)cm
Minimum Product Size	20 (W) × 10 (D) × 30 (H)cm



41/42

FG5688

Behind Mirror Series



Surface Treatment	Brushed Metal
Mounting Type	Punching
Main Material	304stainless steel
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Product Size	24.5 (W) × 10 (D) × 30 (H)cm

FG5788K

Behind Mirror Series



Product Capacity	1000ml
Surface Treatment	Brushed Metal
Mounting Type	Punching
Power Supply	AC Adapter/4pcs No.2 Battery
Main Material	304stainless steel
Outlet Mode	Automatic Induction
Product Shape	Square
Product Color	Bright Silver
Application Area	Hotel, School, Hotel, etc
Maximum Product Size	17.7 (W) × 10.5 (D) × 31.5 (H)cm
Minimum Product Size	17.7 (W) × 10.5 (D) × 60 (H)cm



FG5020 Paper Dispenser



Product material ABS
Product size 27.1 (W)x8.6 (D)x20.3 (H)cm
Applicable place Residence, hotel, office building, public place etc



FEEGOO

FG5021 Paper Dispenser



Product material ABS
Product size 25.5 (W)x8 (D)x20.5 (H)cm
Applicable place Residence, hotel, office building,
public place etc

FG5026 Paper Dispenser



Product material ABS
Product size 20.7 (W)x10 (D)x28 (H)cm
Applicable place Residence, hotel, office building,
public place etc

45/46

FG6618 Paper Dispenser



Product material ABS
Product size 22 (W)x15.5 (D)x22 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG6619 Paper Dispenser



Product material ABS
Product size 22 (W)x15.5 (D)x22 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG6628 Paper Dispenser



Product material ABS
Product size 27 (W)x15.5 (D)x27 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG6629 Paper Dispenser



Product material ABS
Product size 27 (W)x15.5 (D)x27 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG6668 Mini Jumbo Roll



Product material ABS
Product size 40 (W)x15.6 (D)x22 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG5688 Paper Dispenser



Product material PP
Product size 22 (W)x13 (D)x14 (H) cm
Applicable place Residence, hotel

FG6669 Paper Dispenser



Product material ABS
Product size 40 (W)x15.6 (D)x22 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG-6121 Paper Dispenser



Product material PP
Product size 19 (W)x12 (D)x8.5 (W)cm
Applicable place Residence, hotel

FG-PACA050-H-W Paper Dispenser



Product material ABS
Product size 42 (W)x27.5 (D)x5.5 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG-G09BZ Paper Dispenser



Product material ABS
Product size 27 (W)x12 (D)x27.2 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG-F12AZ Paper Dispenser



Product material ABS
Product size 25.5 (W)x9 (D)x20 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG-WC407W Paper Dispenser



Product material ABS
Product size 26.5 (W)x12 (D)x28 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG-PACA10N-H-W Paper Dispenser



Product material ABS
Product size 27 (W)x13.5 (D)x27.5 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG-JYBZJH Paper Dispenser



Product material ABS
Product size 13 (W)x13 (D)x18 (H)cm
Product color Residence, hotel

FG8900 Paper Dispenser



Product material 304 Stainless Steel
Product size 25 (W)x11.5 (D)x25 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG8901 Paper Dispenser



Product material 304 Stainless Steel
Product size 31 (W)x12.5 (D)x31 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG8908 Paper Dispenser



Product material 304 Stainless Steel
Product size 36.1 (W)x12.5 (D)x36.1 (H) cm
Applicable place Residence, hotel, office building, public place etc

FG8903 Paper Dispenser



Product material 304 Stainless Steel
Product size 40 (W)x27.6 (D)x11.4 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG8906 Paper Dispenser



Product material 304 Stainless Steel
Product size 36.8 (W)x28.3 (D)x10.2 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG8905 Paper Dispenser



Product material 304 Stainless Steel
Product size 28.3 (W)x26.5 (D)x10.2 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG7121 Paper Dispenser (Cell phone racks)



Product material 304 stainless steel
Product size 18 (W)x9.5 (D)x4 (H)cm
Applicable place Residence, hotel, office building, public place etc

FG7123 Paper Dispenser (Cell phone racks)



Product material ABS
Product size 18 (W)x9.5 (D)x4 (H) cm
Applicable place Residence, hotel, office building, public place etc







FEEGOO[®]

FEEGOO INDIA

Unit No. C-219, Tower C, 2nd Floor,
JMD Suburbio 67, Sector 67, Gurugram, Haryana - 122005

(M) 8700860829
(E) feegoindia@gmail.com
(W) www.feegoindia.com